MSDS/PR/0220

Lembar Data Keselamatan

LENKOTE WALL PUTTY



1. Product and Company Identification

Product Name : LENKOTE WALL PUTTY

Product Use : Paint

Manufacturer/Supplier: PT. Avia Avian

Jl. Raya Surabaya - Sidoarjo km. 19

Buduran, Sidoarjo

Indonesia

Telephone number in case of emergency: Tel. +62 31 - 896 8000

Fax. +62 31 - 892 1734

Date of Preparation : 27/12/ 2019

2. Hazards Identification

GHS Classification:

H317-May cause an allergic skin sensitization - Category 3 H402-Harmful to aquatic life - Category 3

GHS label elements:

Symbol :No symbol

Signal word : Warning

3. Composition/Information on Ingredients

This product is a mixture Substance/mixture

CAS number Not applicable

HAZARDOUS INGREDIENTS:

COMPOSISION	CAS NO	% W/W	
Benzisothiazol-3(2h)-one	2634-33-5	< 0.025	
5-Chloro-2-methyl-3(2h)-isothiazolone mix. With 2-methyl-3(2h)-isothiazolone	55965-84-9	< 0.002	

Occupational exposure limits, if available, are listed in section 8.

4. First Aid Measures



Tanggal Mulai Berlaku : 01 Januari 2020

MSDS/PR/0220

General : In all case of doubt or when symptoms persists seek medical advice immediately **Inhalation** : Get medical attention immediately. Not a hazard if the product is at ambient

temperature. Removed the affected person to fresh air.

Skin contact: Get medical attention immediately. Wash immediately with plenty of water and soap

Remove contaminated clothing

Eye contact Ingestion

: Get medical attention immediately. Rinse for at least 15 minutes with plenty of water

: Get medical attention immediately. Give plenty of water to drink, do not induce $% \left(1\right) =\left(1\right) \left(1\right)$

vomitino

5. Fire - Fighting Measures

FLASH POINT : Non Combustible
Auto-Ignition Temperature : Not Applicable
Lower Explosive Limit : Not Applicable
Upper Explosive Limit : Not Applicable

Extinguishing media: Foam, CO₂ – blanket and dry powder or water spray for large fires. Water

may be ineffective but should be use to cool fire-exposed structures and

vessels.

Hazardous Product of Combustion:

: Smoke, fumes and Carbon monoxixe

Protective Equipment: Apply self- contained breathing apparatus

6. Accidental Release Measures

Personal precautions : Avoid breathing of vapors

See section 7 and 8

Environmental precautions: Do not allow material to enter sewers, the soil and surface water

Cleaning procedures : Absorb spill with inert material (e.g. dry sand or soil) then sweep up and

put it into a container for disposal

7. Handling and Storage

Keep from freezing, material may coagulate. The recommended storage temperature is $5^{\circ}C-49^{\circ}C$. Store in well- ventilated area. Keep away from heat, spark and open flame. Keep container closed when not in use.

8. Exposure Controls / Personal Protection

Engineering Controls

Ventilation :Use in well ventilated area with local exhaust ventilation. Ventilation required and

equipment must be explosion proof.

MSDS/PR/0220

Personal Protective Equipment

Skin :Chemical gloves should be worn to prevent repeated contact. Use full protection

clothing and chemical boots

Eyes :Safety glasses, eyewash fountain should be.

Inhalation :Approved respiratory protective equipment must be use.

9. Physical and Chemical Properties

General Information

Form : Paste

Colour : White

Odour : Characteristic

pH : 8 to 10

Viscosity 30°C (ASTM D2196) : 400 – 500 poise

Specific Gravity 30°C (ASTM D1475): 1.52 - 1.56 qr/ml

Vapour pressure : 17 mmHg at 20°C

Vapour density : < 1 water

Solubility in water : dilutable

Percent volatility (ASTM D2369) :32% – 35% of water

VOC : < 1.0%

10. Stability and Reactivity

Stable under recommended storage and handling conditions.

A hazardous polymerization will not occur

11. Toxicological Information

No experimental data of the product available.

See section 3 for Hazars Identification

12. Ecological Information

No experimental data of the product available.

13. Disposal Considerations

P501-Dispose of contents/container in accordance with local regulations.

Controlled incineration is recommended.

Contaminated containers may be reused after cleaning.

MSDS/PR/0220

14. Transport Information

Classification for Road & Rail Transport : Not regulated Classification for Sea Transport : Not regulated Classification for Air Transport : Not regulated : Not regulated

Tranportation classifications may vary by container volume and may be influenced by regional or country variations in regulations

15. Regulatory Information

P302+P352 - IF ON SKIN: Wash with plenty of water.
P264 - Wash thoroughly after handling.

P273 - Avoid release to the environment.

This product is not a dangerous good (according to the ADG Code).

16. Other Information

IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE.

Date of issue/Date of revision: 27-12-2019

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. It is the users responsibility to determine the suitable for its own use of the products. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorizations.